

Product Advantages:

Heat Dissipation Scheme :

Better cooling effect to extend the service life of LED

2-Super cooling Pipe

Equipped with a high-efficiency circulating cooling fan

1:1 HALOGEN BULB SIZE

1:1 design directly replaces the original car halogen bulb, plug and play, without any modification suitable for small spaces.

SMALL SIZE BUT WITH HIGH BRIGHTNESS

Equipped with high power and brightness CREE-7035 led chips, enhance the bulb with high brightness and safely drive guarantee.







PRDDUCT DISPLAY



H1



H3



H7/H18



H4/H19



H11



9005



9006



H1R2

SMALL SIZE BUT WITH HIGH BRIGHTNESS



LOW BEAM



HIGH BEAM

Equiped with higt power and brightness CREE-7035 led chips, enhance the bulb with high brightness and safety drive qurantee.

PRODUCT PARAMETER

INPUT(A)	3A+0.2A
OPERATING VOLTAGE	9~18V
LUMENS	6000~7600LM
LIGHT SOURCE	CREE-7035
IP RATE	IP67
OPERATING TEMPERATURE	-40~+80°C
HEAT DISSIPATION SCHEME	DC12 ALUMINIUM ALLOY 1.0MM COPPER SUBSTRATE HYDRAULIC FAN COOLING PIPE



1:1 HALOGEN BULB SIZE

1:1 design directly replaces the original car halogen bulb, plug and play, without any modification suitable for small spaces.

1:1 Same size with Halogen

