

**LED D1S D3S D5S OEM 25W 35W HID**

工作电压	12V±24V
启动电压	13.5V
光通量	3200±450lm
工作电流	3.2A
功率	35W
色温	3000K~30,000K
寿命	3000h
工作温度	-45~+ 105

**特点**

- 1. 不含UV辐射; 100%
- 2. 光通量3,200 lm;
- 3. 不含汞等有害物质; 3000h
- 4. 色温3000K~30,000K;
- 5. 不含铅
- 6. 不含磷
- 7. 不含磷
- 8. 不含磷

**应用**

UNIONLUX



UNIONLUX



UNIONLUX



UNIONLUX



UNIONLUX







LED  
2006 HID 2010 LED  
2011 LED  
LED



**UNIONLUX HID**

UNIONLUX HID LIGHTING CO., LTD. CE

**UNIONLUX HID**

35W D1S D3S HID 1000lm 1000lm  
 1000lm 5000lm

**UNIONLUX**

UNIONLUX 2000lm Hid Canbus 1000lm 1000lm [UNIONLUX d1s](#) 1000lm  
 1000lm 3000lm 1000lm  
 DHL 3000lm 5000lm





T/T



T/A



**QUESTION**

1. Q: How do you ship goods to customers?

A: We can ship via DHL, FedEx, UPS, EMS, or Aramex. We also offer air freight and sea freight options.

2. Q: How do you handle payment terms?

A: We accept T/T, Western Union, MoneyGram, and PayPal.

3. Q: Do you offer OEM services?

A: Yes, we offer OEM services for various models including D1, D2, D3, D4, and HID. We can customize products according to your requirements.

4. Q: How do you ensure product quality?

A: We have a strict quality control system and all products are CE certified.

5. Q: How long is your lead time?

A: For D1S, D2S, D3S, D4S, and HID 35W, the lead time is 3-15 days.

