

LED D1S D3S D5S OEM 25W 35W HID

工作电压	12V-24V
启动电压	13.5V
光通量	3200±450lm
工作电流	3.2A
功率	35W
色温	3000K-30,000K
寿命	3000h
工作温度	-45-+ 105

特点

1. UV 辐射; 1
2. 3,200 lm;
3. 3
4. 3000;
- 5.
6. 100
- 7.
- 8.

规格

UNIONLUX



UNIONLUX



UNIONLUX



UNIONLUX



 CAUTION
ATTENTION  HIGH VOLTAGE
HAUTE TENSION

To avoid personal injury from electric shock, do not probe or remove cover.
No serviceable components.

Pour éviter des blessures graves causées par un choc électrique, ne pas sonder ni enlever le couvercle.
Aucun élément réparable.

PHILIPS XenEcoStart™ 3C14

012945 11

9285 301 244

D3S 35W (E4) 0A9 DOT

Assembled in Germany



UNIONLUX





LED
2006 HID 2010 LED
2011 LED
LED



UNIONLUX HID

UNIONLUX HID LIGHTING CO., LTD. CE

UNIONLUX HID

35W D1S D3S HID 1000lm 1000lm
 1000lm 5000lm

UNIONLUX

UNIONLUX 2000lm Hid Canbus 1000lm 1000lm [UNIONLUX d1s](#) 1000lm
 1000lm 3000lm 1000lm
 DHL 3000lm 5000lm



T/T



T/A



QUESTION

1. Q: How to calculate the freight cost?

A: We can provide EX-Work, FOB, and other shipping terms. Please contact us for more details.

2. Q: How to calculate the tax cost?

A: We can provide T / T and Paypal payment methods.

3. Q: OEM or ODM?

A: We can provide D1, D2, D3, D4, and HID OEM services. Please contact us for more details.

4. Q: How to calculate the CE cost?

A: We can provide CE certification services. Please contact us for more details.

5. Q: How to calculate the LED cost?

A: We can provide D1S, D2S, D3S, D4S, HID 35W, and other LED products. Please contact us for more details.

ANSWER

