

9 HID 35W 55W

☐☐:

& ☐☐☐ ☐☐ ☐☐

& ☐☐ ☐☐☐ ☐☐

& ☐☐☐ ☐☐ ☐☐

☐☐ ☐☐ ☐☐☐ :

	Housing	Plastic	Ballast	Built-in	Size	9"	UX-WL35S219	12V 35W
	Housing color	Orange, Black	HID Bulb	H3	Beam	Spot/Flood	UX-WL35S229	24V 35W
	Lens	Toughened glass	Voltage	12V/9-32V DC	Packing	4PCS/CTN	UX-WL35S239	9-32V 35W
	Lens color	Clear	Power	35W/55W	Means	56.5*29*40.5CM	UX-WL55S219	12V 55W
	Mounting	Stainless steel bracket	Color temp	4300K,6000K,8000K	N.W	8.1KG/CTN	UX-WL55S229	24V 55W
	Operate temp	-10~60°C	Lifespan	3000±300 work hrs	G.W	9.1KG/CTN	UX-WL55S239	9-32V 55W







□□ & □□



□□□□ □□□□

- & □□□ □□□□□ □□□ □□ □□ □ □□ □□ □□
- & □□□ □ □□ □□ □□ □□ & □□ □□ □□
- & □□□□ □□ □ □□□□ □□□□□□□ □□□ □□.
- & □ □□□, □□ □□ □□□□ □□□ □□□□□□ □□□ □□□ □.
- & □□ □□ □□□ □ □□ □□ □□□□ □□ □□□
- & □□□ □□□ □□ □□□ □□□□□□□ □□ □□ □□.
- & OEM. □□□□ OEM □□ □□□□ □□ □ □ □□□□. □□□□ □□□ □□ □□ □□□□□□ □□ □□ □□ □□ (MOQ 500PCS)

□□ □□:

2006 □□ □□ □ Unionlux Lighting □□□ □□ □□ □□ □□□□□□□□. □□ □□□ HID □□□ □□□ □□□□ □□□□ special. In 2010 □, LED □□□ □□□ □□□ □□ □□□, □□ □□, □□ □□, □□ □□, □□□□ □□□□, LED □□ □□ □□□ □□□□ □□□□□□□□

About Us

PRODUCTION
WORKSHOP

TEAMWORK

EMBRACE CHANGES

PASSIONATE

DEDICATED



SEMA □ :



OH MY GOD!

Q1. 如何 如何 如何 如何 如何?

- 如何 如何 如何 如何 如何 如何, 如何 如何 如何 如何.

Q2. 如何 如何 如何 如何 如何?

- 如何 如何 Paypal, Western Union 如何 T / T如何如何. 如何 如何 如何 如何 如何 如何 如何如何.

Q3. 如何 如何 如何 如何?

- 如何如何 如何 2 如何 如何 如何如何.

- 如何如何 如何 如何 3 ~ 10 如何 如何如何.

- 如何 DHL如何 如何 3 ~ 5 如何 如何如何. 如何 如何 如何 Express如何 如何 如何 如何. 如何

Q4. 如何 如何?

- 如何如何 如何 如何 12 如何如何. 如何 如何 如何 如何如何.

如何:



Channy Chen

Tel: +86-20-37026220
Fax: +86-20-87633693

Email: sales09@unionlux.com
Mobile: +86-18127913861
Skype: sales09@unionlux.com
Whatsapp: +86-18127913861
Wechat: Channychen1993